

Publisher Correction: Genetic diversity and association analysis of the reblooming trait in bearded iris cultivars using SSR fluorescent markers

Lingmei Shao^{1,2}, Tong Xu², Xiaobin Wang³, Runlong Zhang², Yunqing Cui⁴, Ziming Ren⁴, Hong Zhou², Jiaping Zhang², Yiping Xia² and Danqing Li^{4*}

¹ Shanghai Key Laboratory of Protected Horticultural Technology, Forestry and Pomology Research Institute, Shanghai Academy of Agricultural Sciences, Shanghai 201403, China

² Genomics and Genetic Engineering Laboratory of Ornamental Plants, College of Agriculture and Biotechnology, Zhejiang University, Hangzhou 310058, China

³ Jiangxi Provincial Key Laboratory for Postharvest Storage and Preservation of Fruits & Vegetables, College of Agronomy, Jiangxi Agricultural University, Nanchang 330045, China

⁴ Department of Landscape Architecture, School of Civil Engineering and Architecture, Zhejiang Sci-Tech University, Hangzhou 310018, China

* Correspondence: danqingli@zju.edu.cn (Li D)

Correction to: *Technology in Horticulture*, <https://doi.org/10.48130/tihort-0025-0035>, published online 15 December 2025.

Since the publication of this article, the publisher and authors have identified that panels 10–17 were inadvertently omitted from **Figure 1** in the published version. The correct **Figure 1** should be:



Fig. 1 Bearded iris cultivars used in this study. Cultivar codes 1 to 17 correspond to the 17 bearded iris cultivars listed in Table 1. Bars = 1 cm.

The publisher would like to apologize for the error.

The original article has been corrected in both the HTML and PDF versions.

Published online 31 March 2026

<https://doi.org/10.48130/tihort-0026-0006>



Copyright: © 2026 by the author(s). Published by Maximum Academic Press, Fayetteville, GA. This article is an open access article distributed under Creative Commons Attribution License (CC BY 4.0), visit <https://creativecommons.org/licenses/by/4.0/>.